

VECTOR CONTROL

LINKS

National -

American Mosquito Control Association

<http://www.mosquito.org/>

Center for Disease Control

West Nile Virus web page.

<http://www.cdc.gov/ncidod/dvbid/westnile/index.htm>

Statewide -

Mosquito and Vector Control Association of California

MVCAC provides public information, comprehensive mosquito and vector borne disease surveillance, training, and legislative advocacy.

<http://mvcac.org/>

MVCAC issue Brief on wetlands development.

<http://www.mvcac.org/issues/Wetlands.pdf>

California Department of Health Services

<http://www.dhs.cahwnet.gov/>

County -

County or special district web links

County of San Diego Environmental Health Community Health Division

<http://www.sdcounty.ca.gov/deh/chd/>

Los Angeles County West Vector Control District

<http://www.lawestvector.org/>

Greater Los Angeles County Vector Control District

<http://www.glacvcd.org/>

Ventura County Vector Control

http://www.ventura.org/envhealth/programs/vector_control/index.htm

Santa Barbara Coastal Vector Control District

<http://www.silcom.com/~vector/>

GIS in Orange County Vector Control District

Maria A. Diuk-Wasser

Abstract

This paper describes the use of GIS as a vector control management tool for Orange County Vector Control District (OCVCD), as a result of a collaboration with of the University of California, Los Angeles.

<http://gis.esri.com/library/userconf/proc02/pap0987/p0987.htm>

Universities -

The University of California Davis Center for Vectorborne Disease Research

<http://www.vetmed.ucdavis.edu/cvec/>

The California Vectorborne Disease Surveillance System is a cooperative project of the Mosquito and Vector Control Association of California, the California Department of Health Services, and the University of California. To find other information concerning these cooperating agencies, please go to the links provided at the bottom of this page.

<http://vector.ucdavis.edu/surveillance/default.html>

University of Arizona

The urban integrated pest management mosquito web page has information on basic mosquito biology and control measures.

<http://ag.arizona.edu/urbanipm/insects/mosquitos/mosquitos.html>

The University of Arizona

The Mosquito Atlas contains detailed information on mosquito biology and physiology.

<http://research.biology.arizona.edu/mosquito/default.html>

NGOs -

San Francisco Estuary Institute

This web site contains documents regarding mosquitoes and wetlands under “documents and reports.”

<http://www.sfei.org/index.html>

BIBLIOGRAPHIES

A Partial Bibliography

Compiled by Elizabeth Willott, Entomology, The University of Arizona

Bays, J S (2002) "Principles and applications of wetland park creation." Handbook of Water Sensitive Planning and Design. R L France. Boca Raton, Lewis Publishers: 263-

96, Chapter I.14. Has information about Sweetwater Wetlands, Tucson AZ, pp. 281-286.

Becker, N (1998) "The use of *Bacillus thurgiensis* subsp. *israelensis* (BTI) against mosquitoes, with special emphasis on the ecological impact." *Israel Journal of Entomology* 32: 63-69.

Bohart, R N and R K Washino (1978) *Mosquitoes of California*. Berkely, CA, University of California, Division of Agricultural Science.

Carlson, D B (1983) "The use of salt-marsh mosquito control impoundments as wastewater retention areas." *Mosquito News* 43: 1-6.

Carlson, D B and R L Knight (1987) "Mosquito production and hydrological capacity of southeast Florida impoundments used for wastewater retention." *Journal of the American Mosquito Control Association* 3: 74-78.

Cole, S (1998) "The emergence of treatment wetlands." *Environmental Science and Technology* 32(9): 218 A A-23 A, May 1.
<http://pubs.acs.org/hotartcl/est/98/may/emer.html>

Crites, R W (1994) "Design criteria and practice for constructed wetlands." *Water Science and Technology* 29(4): 1-6.

Darsie, R F and R A Ward (1981) *Identification and geographical distribution of the mosquitoes of North America*. Fresno, CA, American Mosquito Control Association.

Debusk, T A, P S Burgeon and K R Reddy (1989) "Secondary treatment of domestic wastewater using floating and emergent macrophytes." *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial, and Agricultural*. D A Hammer. Chelsea, MI, Lewis Publishers: 525-29.

Dill, C H (1989) "Wastewater wetlands: user friendly mosquito habits." *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial, and Agricultural*. D A Hammer. Chelsea, MI, Lewis Publishers: 664-67.

Godfrey, P J, E R Kaynor and S Pelczarski (1985) *Ecological Considerations in Wetlands Treatment of Municipal Wastewaters*. New York, Van Nostrand Reinhold Company.

Greenway, M, P Dale and H Chapman (2002) "Constructed wetlands for wastewater treatment-macrophytes, macroinvertebrates, and mosquitoes." *Proceedings from the 8th International Conference on Wetland Systems for Water Pollution Control II*: 1009-23.

Hammon, W M, W C Reeves and P Galindo (1945) "Epidemiologic studies of encephalitis in the San Joaquin Valley of California, 1943, with the isolation of viruses from mosquitoes." *American Journal of Hydrology* 42: 299-306.

Kadlec, R H and R L Knight (1996) Treatment Wetlands. Gainesville, Florida, Lewis Publishers.

Though the index fails to indicate it, Chapter 25: Treatment wetland operation and maintenance (pp.701-713) does mention mosquitoes and gives several citations (most included here) on pp. 707-710..

Karpiscak, M M, K J Kingsley, R D Wass, F A Amalfi, J Friel, A M Stewart, J Tabor and J Zauderer (2003) "Constructed wetland technology and mosquito populations in Arizona." Journal of Arid Environments in press.

Kingsley, K J and M M Karpiscak (2002) "A plea for gathering data on mosquito populations for areas with proposed aquatic and wetland projects." Meeting Resource Management Information Needs: fourth Conference on Research and Resource Management in the Southwestern Deserts. Extended abstracts. W L Halvorson and B S Gebow, eds. May 15, 2002. USGS Sonoran Desert Field Station. The University of Arizona: Tucson AZ.

Kingsley, K J (1985) "Bionomics and management of pest mosquitoes at the agro-urban interface." Ph. D. Entomology, The University of Arizona. Tucson, AZ.

Martin, C V and B F Eldridge (1989) "California's experience with mosquitoes in aquatic wastewater treatment systems." Constructed Wetlands for Wastewater Treatment: Municipal, Industrial, and Agricultural. D A Hammer. Chelsea, MI, Lewis Publishers: 393-98.

McDonald, J L, T P Sluss, J D Lang and C C Roan (1973) "Mosquitoes of Arizona." University of Arizona Technical Bulletin 205: 21.

McDonald, J L (1974) "Bionomics of mosquitoes in semi-arid urban areas." Ph. D. Entomology, The University of Arizona, Tucson, AZ.

O'Meara, G F and E Purcell (1990) "Guidelines for controlling mosquitoes in water retention/detention areas.". Contract #LP702. Submitted to The Florida Department of Health and Rehabilitative Services, Office of Entomology, Florida Medical Entomology Laboratory, Institute of food and Agricultural Science. Vero Beach, FL: University of Florida.

Prior, B (1999) "Sweetwater Wetlands mosquito control update." Mosquito Connection 4: 3-4.

Reed, S C, R W Crites and E J Middlebrooks (1995) Natural Systems for Waste Management and Treatment. New York, McGraw Hill.

Reeves, W C and M M Milby (1979) Encephalitis viral activity and vector populations in California: present and future concerns.

Russell, R C (1996) Mosquitoes and wastewater wetlands - enhancing natural cycles of

zoonotic diseases? Pp 68-80 in Workshop on "Wetland Systems for Wastewater Treatment", 25 September 1996., Pp.68-80., Murdoch University, Perth, WA.

Russell, R C and L Kuginis (1998) "Mosquito risk assessment and management." The Constructed Wetlands Manual. New South Wales, Australia, Department of Land and Water Conservation. 2: 181-91.

Russell, R C (1999) "Constructed wetlands and mosquitoes: health hazards and management options-an Australian perspective." Ecological Engineering 12: 107-24.

Sauter, G and K Leonard (1997) "Wetland design methods for residential wastewater treatment." Journal of the American Water Resources Association 32(1): 155-62.

Smith, H (1960) "Arthropod-borne disease of man in Arizona." Arizona Medicine 17(1).

Stowell, R, S Weber, B A Tchobanoglous, B A Wilson and K R Townzen (1986) "Mosquito considerations in the design of wetland systems for the treatment of wastewater." Ecological Considerations in Wetlands Treatment of Municipal Wastewaters. P J Godfrey, E R Kaynor, S Pelczarski and J Benforado. New York, Van Nostrand Reinhold Company: 38-47.

Tchobanoglous, B A (1987) "Aquatic plant systems for waste-water treatment: engineering considerations." Aquatic Plants for Water Treatment and Resource Recovery. K R Reddy and W H Smith. Orlando, FL, Magnolia Publishing: 27-48.

Tellman, B, R Yarde and M G Wallace (1997) "Arizona's changing rivers: how people have affected the rivers." Water Resources Research Center, College of Agriculture, The University of Arizona, Tucson. Issue paper #19.
See p.38 for information about malaria and other water-borne diseases in early Arizona.

Tennessen, K J (1993) "Production and suppression of mosquitoes in constructed wetlands." Constructed Wetlands for Water Quality Improvement. G A Moshiri. Chelsea, MI, Lewis Publishers: 591-601.

Thomas, C (1991) "Attitudes towards artificial wetlands in Ontario." Journal of the American Water Resources Association 27(3): 419-27.

Thullen, J S, J J Sartoris and W E Walton (2002) "Effects of vegetation management in constructed wetland treatment cells on water quality and mosquito production." Ecological Engineering 18: 441-57.

Vymazal, J (1998) "Removal mechanisms and types of constructed wetlands." Constructed wetlands for wastewater treatment in Europe. J Vymazal, H Brix, P F Cooper, M B Green and R Haberl. Leiden, The Netherlands, Backhuys: 17-66. Discusses as the title suggests but also notes about water hyacinth-based water treatment systems:

"In many sites the growth of mosquitos in these systems may be the critical factor in determining whether

the use of such systems will be allowed (Tchobanoglous 1987). Typically mosquito problems develop when systems are overloaded organically and anaerobic conditions develop. Under these conditions, most, if not all, of the fish (typically *Gambusia affinis*) used as biological control agents die, and the mosquito larvae mature into adults (Tchobanoglous 1987). Supplemental aeration may be necessary in some cases to reduce anaerobic conditions. This may also prevent odor problems."

Walton, W E, M S Mulla, M J Wargo and S L Durso (1990) Efficacy of a microbial insecticide and larvivorous fish against *Culex tarsalis* in duck club ponds in southern California Proceedings and Papers of the 58th Annual Conference of the California Mosquito and Vector Control Association, Inc.

Walton, W E, E T Schreiber and M S Mulla (1990) "Distribution of *Culex tarsalis* larvae in a freshwater marsh in Orange County, California." *Journal of the American Mosquito Control Association* 6(3): 539-43.

Walton, W E, P D Workman and S A Pucko (1996) "Efficacy of larvivorous fish against *Culex* spp. in experimental wetlands." *Proceedings of the 64th Conference on Mosquito and Vector Control Association of California* 64: 96-101.

Walton, W E, M C Wirth, P D Workman and L A Randall (1997) "Survival of two larvivorous fishes in a multipurpose constructed wetland in southern California." *Proc. Mosquito Vector Control Association California* 65: 51-57.

Walton, W E and P D Workman (1998) "Effect of marsh design on the abundance of mosquitoes in experimental constructed wetlands in Southern California." *Journal of the American Mosquito Control Association* 14(1): 95-107.

Walton, W E, P D Workman, L A Randall, J A Jiannino and Y A Offill (1998) "Effectiveness of control measures against mosquitoes at a constructed wetland in Southern California." *Journal of Vector Ecology* 23(2): 149-60.

Walton, W E, P D Workman and C H Tempelis (1999) "Dispersal, survivorship, and host selection of *Culex erythrothorax* (Diptera: Culicidae) associated with a constructed wetland in southern California." *Journal of Medical Entomology* 36(1): 30-40.

Walton, W E (Undated) "Biological Control and Ecology of Mosquitoes Inhabiting Constructed Wetlands in southern California." Final Report for Cooperative Agreement No. 1445-CA09-0011: Department of Entomology, University of California, Riverside CA. PP 1-33, pp 34-73 figures and pp 74-80 graphs.

Wieder, K R, G Tchobanoglous and R W Tuttle (1989) "Preliminary considerations regarding constructed wetlands for wastewater treatment." *Constructed Wetlands for Wastewater Treatment: Municipal, Industrial, and Agricultural*. D A Hammer. Chelsea, MI, Lewis Publishers.

Wilson, B A, K R Townsend and T H Anderson (1987) "Mosquito and mosquitofish responses to loading of water hyacinth wastewater treatment ponds." *Aquatic Plants for*

Water Treatment and Resource Recovery. K R Reddy and W H Smith. Orlando, FL, Magnolia Publishing.

Workman, P D and W E Walton (2000) "Emergence patterns of *Culex* mosquitoes (Diptera: Culicidae) at an experimental constructed treatment wetland in southern California." *Journal of the American Mosquito Control Association* 16: 124-30.

Workman, P D and W E Walton (2003) "Larval behavior of four *Culex* (Diptera: Culidae) associated with treatment wetlands in the southwestern United States." *Journal of Vector Ecology* 28(2).

From William Walton's web page selected Publications:

Knight, R. L., W. E. Walton, G. O'Meara, W. K. Reisen, and R. Wass. 2004. Strategies for effective mosquito control in constructed treatment wetlands. *Ecological Engineering*: In press.

Walton, W. E. 2003. Managing mosquitoes in surface-flow constructed treatment wetlands. University of California, Division of Agriculture and Natural Resources. Davis, CA. Publ. No. 8117. 11 pp. [\[PDF\]](#)

Workman, P. W. and W. E. Walton. 2003. Larval behavior of four *Culex* (Diptera: Culicidae) associated with treatment wetlands in the southwestern United States. *Journal of Vector Ecology* 28(2): In press.

Keiper, J. B., J. A. Jiannino, M. R. Sanford, and W. E. Walton. 2003. Effect of vegetation management on the abundance of mosquitoes at a constructed treatment wetland in southern California. *Proc. Mosq. Vector Control Assoc. Calif.* 70: 35-43.

Thullen, J. S., J. J. Sartoris and W. E. Walton. 2002. Effects of vegetation management in constructed wetland treatment cells on water quality and mosquito production. *Ecological Engineering* 18: 441-457.

Walton, W. E. 2002. Multipurpose constructed treatment wetlands in the arid southwestern United States: Are the benefits worth the risks? pp. 115-123. *In*: J. Pries (ed.) *Treatment Wetlands for Water Quality Improvement: Quebec 2000 Conference Proceedings*. CH2M HILL Canada Limited, Pandora Press, Waterloo, ON.

Keiper, J. B., W. E. Walton and B. A. Foote. 2002. Biology and ecology of higher Diptera from freshwater wetlands. *Annual Review of Entomology*. 47: 207-232.

Walton, W. E. 2001. Effects of *Triops newberryi* (Notostraca: Triopsidae) on aquatic insect communities in ponds in the Colorado Desert of southern California. *Israel J. Zool.* 47: 491-512.

- Wirth, M. C., A. Delécluse and W. E. Walton. 2001. Cyt1Ab1 and Cyt2Ba1 from *Bacillus thuringiensis* subsp. *israelensis* and subsp. *medellin* synergize *Bacillus sphaericus* against *Aedes aegypti* and resistant *Culex quinquefasciatus* (Diptera: Culicidae). *Applied and Environmental Microbiology*: 67: 3280-3284.
- Keiper, J. B. and W. E. Walton. 2000. Biology and immature stages of *Brachydeutera sturtevantii* (Diptera: Ephydriidae), a hyponeustic generalist. *Ann. Entomol. Soc. Am.* 93: 468-475.
- Wirth, M. C., W. E. Walton and B. A. Federici. 2000. Cyt1A from *Bacillus thuringiensis* restores toxicity of *Bacillus sphaericus* against resistant *Culex quinquefasciatus* (Diptera: Culicidae). *J. Med. Entomol.* 37: 401-407.
- Workman, P. D. and W. E. Walton. 2000. Emergence patterns of *Culex* mosquitoes (Diptera: Culicidae) at an experimental constructed treatment wetland in southern California. *J. Am. Mosq. Control Assoc.* 16: 124-130.
- Offill, Y. A. and W. E. Walton. 1999. Comparative efficacy of the threespine stickleback (*Gasterosteus aculeatus*) and the mosquitofish (*Gambusia affinis*) for mosquito control. *J. Am. Mosq. Control Assoc.* 15: 380-390.
- Walton, W. E., P. D. Workman and C. H. Tempelis. 1999. Dispersal, survivorship, and host selection of *Culex erythrothorax* (Diptera: Culicidae) associated with a constructed wetland in southern California. *J. Med. Entomol.* 36: 30-40.
- Walton, W. E. and P. D. Workman. 1998. Effect of marsh design on the abundance of mosquitoes in experimental constructed wetlands in southern California. *J. Am. Mosq. Control Assoc.* 14: 95-107.

OTHER SOURCES

- Mian, L.S., M.S. Mulla and M.S. Dhillon. 1990. Studies on the bioecological aspects of adult mosquitoes in the Prado Basin of southern California. *Journal of American Mosquito Control Association* 6: 64-71.